



CATALOG

2023

w w w . s a l i x a r m s . c o m

INDEX

02/08

Over Under

09/10

Side By Side

11/13

Single Barrel

14/16

Magazine Fed

17/21

Bull Pup

22-30

Semi Auto

31-36

Pump Action

37-38

Lever Action

39-43

Air Rifle- Break Barrel



OVER
UNDER

General Feature

Gauge: 12-16-20-28-36

Length of Barrel: 51-55-66-71-76 Cm

Barrel: Steel

Choke: Mobile(1-2-3-4-5)

Chamber: 76mm 3"

Also available in 12 Ga w/extractor,
20 Ga w/extractor and .410 w/extractor

OVER UNDER

K-490-S

System: w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Turkish Walnut Stock

Weight: 2,75 Kg



OVER UNDER

K-491-S

System: w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Synthetic

Weight: 2,75 Kg



OVER UNDER

K-492-S

System: w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Synthetic

Weight: 2,75 Kg



OVER UNDER

K 492 S1

System: w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Synthetic

Weight: 2,75 Kg



OVER UNDER

K 492 S2

System: w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Synthetic

Weight: Average 2,75 Kg



OVER UNDER

K-493-S

System: Trap w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76 cm

Stock: Turkish Walnut Stock

Weight: Average 3,60 Kg



OVER UNDER

K-494-S

System: Trap w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 41-47- 51-55-61-66-71-76 cm

Stock: Turkish Walnut Stock

Weight: Average 3,60 Kg



OVER UNDER

K-495-S

System: Trap w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 41-47- 51-55-61-66-71-76 cm

Stock: Turkish Walnut Stock

Weight: Average 3,60 Kg



OVER/UNDER

K-496-S

System: Trap w/Ejector

Receiver: Hot Forged Monoblock- Steel or Aluminum

Length of Barrel: 41-47- 51-55-61-66-71-76 cm

Stock: Turkish Walnut Stock and Metal

Weight: Average 3,60 Kg



OVER UNDER

S TAC 1

System: Ejector or Extractor

Receiver: Hot Forged Monoblock-Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Synthetic

Weight: Average 3,00 Kg



OVER UNDER

S TAC 2

System: Ejector or Extractor

Receiver: Hot Forged Monoblock-Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Synthetic

Weight: Average 3,00 Kg



OVER UNDER

S TAC 3

System: Ejector or Extractor

Receiver: Hot Forged Monoblock-Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Synthetic

Weight: Average 3,00 Kg



OVER UNDER

S TAC 4

System: Ejector or Extractor

Receiver: Hot Forged Monoblock-Steel or Aluminum

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Synthetic

Weight: Average 3,00 Kg



OVER UNDER

SPC-1

System: Ejector or Extractor

Receiver: Hot Forged Monoblock- Steel Manual Engraved

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 Kg



OVER UNDER

SPC-2

System: Ejector or Extractor

Receiver: Hot Forged Monoblock- Steel Manual Engraved

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 Kg



OVER UNDER

SPC-3

System: Ejector or Extractor

Receiver: Hot Forged Monoblock- Steel Manual Engraved

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 kg



OVER UNDER

SPC-4

System: Ejector or Extractor

Receiver: Steel or Aluminum Laser Marked White

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 Kg



OVER UNDER

SPC-5

System: Ejector or Extractor

Receiver: Steel or Aluminum Laser Marked White

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 Kg



OVER UNDER

SPC-6

System: Ejector or Extractor

Receiver: Steel or Aluminum Laser Marked White

Length of Barrel: 47- 51-55-61-66-71-76cm

Stock: Turkish Walnut Stock

Weight: Average 3,50 Kg





SIDE BY SIDE

General Feature

Gauge: 12-20-28-36

Length of Barrel: 47-51-55-61-66-71-76-81cm

Barrel: 4140 Steel

Stock: Turkish Walnut Stock

Choke: Mobile(1-2-3-4-5)

Chamber: 76mm

Weight: 3-3,3 Kg

Also available in 20 Ga w/extractor and
.410 w/extractor

SIDE BY SIDE

A 840 H

System: Ejector-Extractor

Receiver: Steel or Aluminum Laser Marked White



PAGE 10



www.salixarms.com



SINGLE BARREL

General Feature

Barrel: 4140 Steel

Choke: Mobile(1-2-3-4-5) or Slug

Receiver: Steel

Chamber: 76mm

salix
A R M S

SINGLE BARREL

F 351 S

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Synthetic



Hammerless

SINGLE BARREL

F 352 S

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Synthetic



Hammer

SINGLE BARREL

F 353 S

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Synthetic



Hammer

SINGLE BARREL

F 353 S1

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Synthetic



Hammerless

SINGLE BARREL

F 354 S

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Turkish Walnut Stock



Hammerless

SINGLE BARREL

F 355 S

System: Extractor

Gauge: 12-16-20-28-36

Length of Barrel: 35-47-51-55-61-65-71-76-81 cm

Stock: Turkish Walnut Stock



Hammer



MAGAZINE FED



MAGAZINE FED.

S 431 X

Forend: Synthetic



MAGAZINE FED.

S 432 X

Forend: Synthetic



MAGAZINE FED.

S 433 X

Forend: Synthetic

Stock: Telescopic



General Feature

System: Gas System

Gauge: 12-20

Length of Barrel: 35-47-51-55-61 Cm

Barrel: 4140 Steel

Stock: Telescopic

Magazine Capacity: 2+1 - 5+1 - 10+1

Choke: Mobile(1-2-3-4-5)-Slug

Chamber: 76mm

Receiver: 7075 Aliminum

MAGAZINE FED

S 433 XA

Forend: Aluminium

Stock: Synthetic / Fixed Stock



MAGAZINE FED

S 434 X

Receiver: 7075 Aliminum Ful Metal Black



MAGAZINE FED

S 434 XG

Receiver: 7075 Aliminum Ful Metal Distressed Grey



General Feature

System: Gas System

Gauge: 12-20

Length of Barrel: 35-47-51-55-61 Cm

Barrel: 4140 Steel

Magazine Capacity: 2+1 - 5+1 - 10+1

Choke: Mobile(1-2-3-4-5)-Slug

Chamber: 76 mm

Receiver: 7075 Aliminum



**BULL
PUP**

BULLPUP

L 130 X

Mechanism: Pump Action



BULLPUP

L 130 X1

Mechanism: Pump Action



General Feature

Mechanism: Pump Action

Gauge: 12

Length of Barrel: 47cm (18")

Magazine Capacity: 2+1, 5+1, 10+1

Chamber: 76mm (3")

Buttstock: Synthetic

Frame: 7075-T6 Aluminum

BULLPUP

L 130 X2

Mechanism: Pump Action



BULLPUP

L 130 X3

Mechanism: Pump Action



General Feature

Mechanism: Pump Action

Gauge: 12

Length of Barrel: 47cm (18")

Magazine Capacity: 2+1, 5+1, 10+1

Chamber: 76mm (3")

Buttstock: Synthetic

Frame: 7075-T6 Aluminum

BULLPUP

L 140 X

System: Gas-Semi Auto



BULLPUP

L 140 X1

System: Gas-Semi Auto



General Feature

System: Gas-Semi Auto

Gauge: 12

Length of Barrel: 47cm (18")

Magazine Capacity: 2+1, 5+1, 10+1

Chamber: 76mm (3")

Frame: 7075-T6 Aluminum

BULLPUP

L 150 X

Mechanism: Hybrid (Pump Action – Semi Auto)



BULLPUP

L 150 X1

Mechanism: Hybrid (Pump Action – Semi Auto)



General Feature

Mechanism: Hybrid (Pump Action – Semi Auto)

Gauge: 12

Length of Barrel: 47cm (18")

Magazine Capacity: 2+1, 5+1, 10+1

Chamber: 76mm (3")

Buttstock: Synthetic

Frame: 7075-T6 Aluminum

**SEMI
AUTO**



SEMI AUTO

R 560 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 561 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 562 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



General Feature

System: Gas System

Gauge: 12-20

Length of Barrel: 51-56-61-66-71-76-81 cm

Barrel: 4140 Steel

Magazine Capacity: 2+1 - 4+1 - 7+1

Choke: Mobile Choke (1-2-3-4-5) or Slug

Chamber: 76mm

SEMI AUTO

R 563 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 564 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 565 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 566 M

Stock: Turkish Walnut Stock

Receiver: 7075 Aliminum



SEMI AUTO

R 567 M

Stock: Synthetic

Receiver: 7075 Aliminum



SEMI AUTO

R 568 M

Stock: Synthetic

Receiver: 7075 Aliminum



SEMI AUTO

R 569 M

Stock: Synthetic

Length of Barrel: 51-56-61-66-71-76-81 cm



SEMI AUTO

R 570 M

Stock: Synthetic

Length of Barrel: 51-56-61-66-71-76-81 cm



SEMI AUTO

R 571 M

Stock: Synthetic

Length of Barrel: 51-56-61-66-71-76-81 cm



SEMI AUTO

R 572 M

Stock: Synthetic

Length of Barrel: 51-56-61-66-71-76-81 cm



SEMI AUTO

R 573 M

Stock: Synthetic

Length of Barrel: 51-56-61-66-71-76-81 cm



General Feature

System: Gas System

Gauge: 12-20

Barrel: 4140 Steel

Magazine Capacity: 4+1 - 7+1

Choke: Slug

Receiver: 7075 Aluminum

Chamber: 76mm

SEMI AUTO

R 574 M

Stock: Synthetic

Choke: Mobile(1-2-3-4-5)



SEMI AUTO

R 575 M

Stock: Synthetic

Choke: Mobile(1-2-3-4-5)



General Feature

System: Gas System

Gauge: 12-20-36

Length of Barrel: 51-56-61-66-71-76-81 cm

Barrel: 4140 Steel

Magazine Capacity: 4+1 - 7+1

Choke: Mobile Choke (1-2-3-4-5)

Chamber: 76mm

Also available
w/left-handed for all
semi automatic shotguns.

SEMI AUTO

SX-04

Tactical Semi Automatic



SEMI AUTO

SX-041

Tactical Semi Automatic



SEMI AUTO

SX-042

Tactical Semi Automatic



SEMI AUTO

SX-043

Tactical Semi Automatic



SEMI AUTO

SX-044

Tactical Semi Automatic



General Feature

System: Gas System semi-automatic rotating bolt

Gauge: 12

Length of Barrel: 13" – 18,5" – 20" – 24"

Barrel: 4140 Steel

Magazine Capacity: 2+1 – 5+1 – 6+1

Buttstock: Telescopic-Fixed Stock

Chamber: 76mm

Receiver: 7075-T6 Aluminum

SEMI AUTO
SX-05

Tactical Semi Automatic



SEMI AUTO
SX-051

Tactical Semi Automatic



SEMI AUTO
SX-052

Tactical Semi Automatic



General Feature

System: Gas System semi-automatic rotating bolt
Gauge: 12
Length of Barrel: 13" – 18,5" – 20" – 24"
Barrel: 4140 Steel

Magazine Capacity: 2+1 – 5+1 – 6+1

Buttstock: Telescopic-Fixed Stock

Chamber: 76mm

Receiver: 7075-T6 Aluminum

SEMI AUTO

SA-140

Inertia/Kinetic



SEMI AUTO

SA-141

Inertia/Kinetic



SEMI AUTO

SA-142

Inertia/Kinetic



General Feature

System: Inertia/Kinetic

Gauge: 12

Length of Barrel: 18,5" - 20" - 24" - 28"

Barrel: 4140 Steel

Magazine Capacity: 2+1 – 5+1 – 6+1

Chamber: 76 mm (3")

Receiver: 7075 Aluminum

Choke: Mobile Chokes / Cylinder / Slug Barrel

A person in camouflage gear is shown from behind, holding a shotgun and aiming it upwards. They are standing in a marshy area with tall reeds to their right. In the background, there is a body of water with several ducks swimming. The sky is a mix of orange, yellow, and blue, suggesting a sunset or sunrise. The entire image is framed by a white border with some blue and white abstract shapes. A red rectangle is positioned in the upper right corner, containing the text "PUMP ACTION" in white, bold, sans-serif capital letters.

PUMP ACTION

PUMP ACTION

P 610 Y



Gauge	:12-20-36	Barrel	:4140 Steel	Receiver	:7075 Aliminum
Length of Barrel	:55-61-65-71-76-81 cm	Stock	:Synthetic	Chamber	:76mm
Magazine Capacity	:4+1 - 7+1	Choke	:Mobile Choke (1-2-3-4-5)		

PUMP ACTION

P 610 Y1



Gauge	:12-20-36	Barrel	:Chrome Plated 4140 Steel Barrel	Receiver	:7075 Aliminum
Length of Barrel	:55-61-65-71-76-81 cm	Stock	:Synthetic	Chamber	:76mm/3"
Magazine Capacity	:4+1 - 7+1	Choke	:Mobile Choke (1-2-3-4-5)	Weight	:2700 Gr

PAGE 32

PUMP ACTION

P 611 Y



Gauge	:12-20-36	Barrel	:Chrome Plated 4140 Steel Barrel	Receiver	:7075 Aliminum
Length of Barrel	:55-61-65-71-76-81 cm	Stock	:Turkish Walnut Stock	Chamber	:76mm/3"
Magazine Capacity	:4+1 - 7+1	Choke	:Mobile Choke (1-2-3-4-5)	Weight	:3200 Gr

PUMP ACTION

P 612 Y



Gauge	:12	Barrel	:4140 Steel	Receiver	:7075 Aliminum
Length of Barrel	:47 Cm	Stock	:Synthetic	Chamber	:76mm
Magazine Capacity	:4+1	Choke	:Mobile Choke (1-2-3-4-5)		

PUMP ACTION

P 612 YL



Gauge	:12	Barrel	:Chrome Plated 4140 Steel	Receiver	:7075 Aliminum	
Length of Barrel	:33CM / 13"	Stock	:Pistol Grip	Chamber	:76mm/3"	
Magazine Capacity	:4+1	Choke	:Mobile Choke (1-2-3-4-5)		Weight	:2250 Gr

PUMP ACTION

P 612 YM



Gauge	:12	Barrel	:Chrome Plated 4140 Steel	Receiver	:7075 Aliminum	
Length of Barrel	:33CM / 13"	Stock	:Pistol Grip	Chamber	:76mm/3"	
Magazine Capacity	:4+1	Choke	:Mobile Choke (1-2-3-4-5)		Weight	:2250 Gr

PUMP ACTION

P 612 YN



Gauge	:12	Barrel	:Chrome Plated 4140 Steel	Receiver	:7075 Aliminum	
Length of Barrel	:33CM / 13"	Stock	:Pistol Grip	Chamber	:76mm/3"	
Magazine Capacity	:4+1	Choke	:Mobile Choke (1-2-3-4-5)		Weight	:2300 Gr

PUMP ACTION

P 613 Y



Gauge	:12	Barrel	:Chrome Plated 4140 Steel	Receiver	:7075 Aliminum
Length of Barrel	51 Cm / 20"	Stock	:Synthetic	Chamber	:76 mm / 3"
Magazine Capacity	:2+1 – 5+1 – 10+1	Choke	:Mobile Choke (1-2-3-4-5)	Weight	:2900 Gr

PUMP ACTION

P 614 Y



Gauge	:12-20-36	Barrel	:Chrome Plated 4140 Steel	Receiver	:7075 Aliminum
Length of Barrel	:55-61-65-71-76-81 cm	Stock	:Synthetic	Chamber	:76 mm / 3"
Magazine Capacity	:2+1 – 5+1 – 10+1	Choke	:Mobile Choke (1-2-3-4-5)	Weight	:2900 Gr

PUMP ACTION

P 615 Y

Stock: Synthetic

Magazine Capacity: 2+1 – 5+1 – 10+1

Length of Barrel: 35 Cm



Gauge: 12

Barrel: Chrome Plated 4140 Steel

Choke: Mobile(1-2-3-4-5)

Receiver: 7075 Aliminum

Chamber: 76mm

PUMP ACTION

P 616 Y

Stock: Pistol Grip

Magazine Capacity: 4+1

Length of Barrel: 35 Cm



PUMP ACTION

P 617 Y

Stock: Turkish Walnut Stock

Magazine Capacity: 4+1

Length of Barrel: 33 Cm



General Feature

Gauge: 12

Barrel: Chrome Plated 4140 Steel

Choke: Mobile(1-2-3-4-5)

Receiver: 7075 Aliminum

Chamber: 76mm

PUMP ACTION

P 618 Y

Stock: Polymer

Magazine Capacity: 4+1



PUMP ACTION

P 619 Y

Stock: Synthetic

Magazine Capacity: 4+1 - 5+1 - 7+1

Length of Barrel: 35,5-47-51-66-71-76 cm



PUMP ACTION

P 619 Y1

Stock: Synthetic

Magazine Capacity: 4+1 - 5+1 - 7+1

Length of Barrel: 47-51-66-71-76 cm



General Feature

Gauge: 12

Length of Barrel: 47 Cm

Barrel: 4140 Steel

Choke: Mobile Choke (1-2-3-4-5)

Chamber: 76mm

**LEVER
ACTION**



salix
A R M S

LEVER ACTION

SA 36



General Feature

System: Lever Action

Gauge: 36

Length of Barrel: 61 cm

Barrel: 4140 Steel

Stock: Turkish Walnut Stock

Magazine Capacity: 2+1 - 5+1 – 8+1

Choke: Fixed Choke

Receiver: 1040 Steel

Chamber: 66mm

AIR RIFLE



salix
A R M S

AIR RIFLE

X920



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 200 bar / 310 cc
Barrel Length	: 48 cm / 18.9 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 73 cm / 28.8 inç	Stock	: Turkish Walnut
Length of Pull	: 38 cm / 14.9 inç	Average Weight (kg)	: 3.30
Muzzle Velocity	: 1050 fps / 28 Joule - 820 fps / 37 Joule - 750 fps / 43 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE

X930



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 200 bar / 310 cc
Barrel Length	: 48 cm / 18.9 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 73 cm / 28.8 inç	Stock	: Turkish Walnut
Length of Pull	: 38 cm / 14.9 inç	Average Weight (kg)	: 3.30
Muzzle Velocity	: 1050 fps / 28 Joule - 820 fps / 37 Joule - 750 fps / 43 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE

X940



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 200 bar / 310 cc
Barrel Length	: 53 cm / 21 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 106 cm / 41.8 inç	Stock	: Turkish Walnut
Length of Pull	: 36.5 cm / 14.4 inç	Average Weight (kg)	: 3.75
Muzzle Velocity	: 1100 fps / 31 Joule - 900 fps / 44 Joule - 800 fps / 49 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE

X941



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 200 bar / 310 cc
Barrel Length	: 53 cm / 21 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 106 cm / 41.8 inç	Stock	: Synthetic
Length of Pull	: 36.5 cm / 14.4 inç	Average Weight (kg)	: 3.75
Muzzle Velocity	: 1100 fps / 31 Joule - 900 fps / 44 Joule - 800 fps / 49 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE
X950



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 250 bar / 500 cc
Barrel Length	: 53 cm / 21 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 106 cm / 41.8 inç	Stock	: Turkish Walnut
Length of Pull	: 36.5 cm / 14.4 inç	Average Weight (kg)	: 3.75
Muzzle Velocity	: 1200 fps / 30 Joule - 950 fps / 49 Joule - 870 fps / 57 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE
X960



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 200 bar / 310 cc
Barrel Length	: 48 cm / 18.9 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 95 cm / 37.4 inç	Stock	: Synthetic
Overall Length Extended	: 103 cm / 40.5 inç	Average Weight (kg)	: 3.30
Muzzle Velocity	: 1200 fps / 36 Joule - 1000 fps / 55 Joule - 900 fps / 62 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

AIR RIFLE
X960



Caliber	: 4.5 mm / 5.5 mm / 6.35 mm	Air Capacity	: 250 bar / 500 cc
Barrel Length	: 48 cm / 18.9 inç	Receiver	: Gloss Black Aluminum
Overall Length Shortened	: 95 cm / 37.4 inç	Stock	: Synthetic
Overall Length Extended	: 103 cm / 40.5 inç	Average Weight (kg)	: 3.30
Muzzle Velocity	: 1200 fps / 36 Joule - 1050 fps / 60 Joule - 950 fps / 68 Joule		
Magazine Capacity	: 4.5 mm / 14 Shots - 5.5 mm / 12 Shots - 6.35 mm / 10 Shots		

BREAK BARREL

AY-01



BREAK BARREL

AY-02



BREAK BARREL

AY-03



BREAK BARREL

AY-04



Caliber

Muzzle Velocity

System

Air Capacity

Stock

Barrel Length

4.5 mm .177 Cal
5.5mm.22 Cal

1000 fps / 25.50 Joule
700 fps / 28 Joule

Barrel Break
Spring/Gas Piston

250 bar / 500 cc

Synthetic or
Camo Wooden

45 cm / 17.7 "



www.salixarms.com