

SHOTGUNS RIFLE PISTOLS



ENGINEERED IN  
TÜRKİYE

THE FUTURE  
OF TACTICAL SOLUTIONS.

**salix**  
A R M S

2026 PRODUCT COLLECTION

[salixarms.com](https://salixarms.com)

**salix**  
A R M S

ENGINEERED IN  
TÜRKİYE

**WITH THE STRENGTH  
WE DRAW FROM OUR  
ROOTS, TOWARD  
THE FUTURE.**

Salix Arms is an independent and specialized firearms manufacturer based in Konya, Türkiye, operating within a strategic partnership and sister-company structure with one of the country's established producers, Balıklı Arms. At its modern production facilities, Salix Arms combines traditional gunsmithing craftsmanship with the micron-level precision of over 300 CNC machines, delivering manufacturing excellence at the highest standards.

Distinguished by its versatile manufacturing capabilities, Salix Arms is not limited to a single segment, offering comprehensive engineering and production expertise across rifles, pistols, and multiple firearm platforms. Supported by an experienced quality control team, every order is meticulously inspected from the initial stage through final delivery, ensuring reliability, durability, and consistent performance. Products developed for the defense industry, law enforcement agencies, and professional users reflect Salix Arms' commitment to engineering precision and uncompromising quality. Exports to more than 45 countries worldwide stand as a strong testament to the brand's globally recognized standards and trust.



ENGINEERED IN  
TÜRKİYE



# INDEX

salix  
A R M S

06

**OVER  
UNDER**

11

**SIDE BY  
SIDE**

13

**SINGLE  
BARREL**

15

**MAGAZINE  
FED**

18

**BULL  
PUP**

21

**SEMI  
AUTO**

30

**PUMP  
ACTION**

35

**LEVER  
ACTION**

38

**BRAKE  
BARREL**

40

**OVER UNDER  
COMBO  
/ RIFLES**

43

**BOLT  
ACTION  
/ RIFLES**

48

**PISTOLS**

**GUIDE TO EXCELLENCE**

# OVER UNDER SHOTGUNS

PERFECT BALANCE,  
INSTINCTIVE AIM



**salix**  
ARMS

# OVER UNDER

OVER UNDER



BLACK

NICKEL

## K 490 S

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | TURKISH WALNUT STOCK |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3" OR 2 3/4"         |
|                  |                                   | WEIGHT   | 3.3 KG (7.3 LB)      |

OVER UNDER



## K 491 S

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | TURKISH WALNUT STOCK |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3" OR 2 3/4"         |
|                  |                                   | WEIGHT   | 3.3 KG (7.3 LB)      |

OVER UNDER



## K 492 S

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | SYNTHETIC            |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM             |
|                  |                                   | WEIGHT   | 2.75 KG (6.1 LB)     |

OVER UNDER



## K 492 S1

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | SYNTHETIC/CAMOUFLAGE |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM             |
|                  |                                   | WEIGHT   | 2.75 KG (6.1 LB)     |



# OVER UNDER

OVER UNDER



## K 492 S2

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | SYNTHETIC/CAMOUFLAGE |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM             |
|                  |                                   | WEIGHT   | 2.75 KG (6.1 LB)     |

OVER UNDER



## K 493 S

Note: Easy Handling

|                  |                         |          |                      |
|------------------|-------------------------|----------|----------------------|
| SYSTEM           | TRAP/ETRACTOR / EJECTOR | STOCK    | TURKISH WALNUT STOCK |
| GAUGE            | 20-28-36                | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 18.5"-20"               | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL              | CHAMBER  | 3"/76 MM             |
|                  |                         | WEIGHT   | 2.75 KG (6.1 LB)     |

OVER UNDER



## K 494 S

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | TRAP/ETRACTOR / EJECTOR           | STOCK    | TURKISH WALNUT STOCK |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE(1-2-3-4-5)    |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM             |
|                  |                                   | WEIGHT   | 3.3 KG (7.3 LB)      |

OVER UNDER



## K 495 S

|                  |                                   |          |                      |
|------------------|-----------------------------------|----------|----------------------|
| SYSTEM           | TRAP/ETRACTOR / EJECTOR           | STOCK    | TURKISH WALNUT STOCK |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE ( 1-2-3-4-5 ) |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM             |
|                  |                                   | WEIGHT   | 3.3 KG (7.3LB)       |

# OVER UNDER

OVER UNDER



**S T A C 1**

OVER UNDER



**S T A C 2**

OVER UNDER



**S T A C 3**

OVER UNDER



**S T A C 4**

OVER UNDER



**S T A C 5**

|                  |                                       |                 |                      |
|------------------|---------------------------------------|-----------------|----------------------|
| SYSTEM           | ETRACTOR / EJECTOR                    | STOCK           | TURKISH WALNUT       |
| GAUGE            | 12-16-20-28-36                        | STOCK/SYNTHETIC |                      |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-<br>26"-28"-30" | CHOKE           | MOBILE ( 1-2-3-4-5 ) |
| BARREL           | 4140 STEEL                            | RECEIVER        | STEEL OR ALUMINUM    |
|                  |                                       | CHAMBER         | 3" OR 2 3/4"         |
|                  |                                       | WEIGHT          | 3.3 KG (7.3 LB)      |

# OVER UNDER

OVER UNDER



**SPC-1**

OVER UNDER



**SPC-2**

OVER UNDER



**SPC-3**

OVER UNDER



**SPC-4**

OVER UNDER



**SPC-5**

OVER UNDER



**SPC-6**

|                  |                                   |          |   |
|------------------|-----------------------------------|----------|---|
| SYSTEM           | ETRACTOR / EJECTOR                | STOCK    | TURKISH WALNUT STOCK  |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE (1-2-3-4-5)  |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-28"-30" | RECEIVER | STEEL OR ALUMINUM WITH HAND ENGRAVING, LASER ENGRAVING, OR SPECIAL GOLD INLAY |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"/76 MM  |
|                  |                                   | WEIGHT   | 3.3 KG (7.3LB)  |





# SIDE BY SIDE

A TIMELESS  
TRADITION

**salix**  
ARMS

# SIDE BY SIDE

SIDE BY SIDE



**A 840 H**

SIDE BY SIDE



**HAN 33**

SIDE BY SIDE



**A 841 H**

SIDE BY SIDE



**HAN 34**

SIDE BY SIDE



**A 842 H**

SIDE BY SIDE



**HAN 35**

|                  |                               |
|------------------|-------------------------------|
| SYSTEM           | EXTRACTOR                     |
| GAUGE            | 36                            |
| LENGTH OF BARREL | 18.5"-20"-22"-24"-26"-28"-30" |
| BARREL           | 4140 STEEL                    |

|          |                      |
|----------|----------------------|
| STOCK    | TURKISH WALNUT STOCK |
| CHOKE    | MOBILE (1-2-3-4-5)   |
| RECEIVER | 7075 ALUMINUM        |
| CHAMBER  | 3"                   |
| WEIGHT   | 3.3 KG (7.3 LB)      |

|                  |                     |
|------------------|---------------------|
| SYSTEM           | EJECTOR / EXTRACTOR |
| GAUGE            | 12                  |
| LENGTH OF BARREL | 24"-26"-28"-30"     |
| BARREL           | 4140 STEEL          |

|         |                               |
|---------|-------------------------------|
| STOCK   | TURKISH WALNUT STOCK          |
| CHOKE   | MOBILE (1-3-5)                |
| CHAMBER | 3"/76 MM                      |
| WEIGHT  | 2.9 KG (6.4 LB)               |
| COLOR   | BLACK-MENEVICH NICKEL PLATING |



# SINGLE BARREL

SIMPLY RELIABLE

**salix**  
ARMS

# SINGLE BARREL

SINGLE BARREL / HAMMERLESS



**F 351 S**

SINGLE BARREL / HAMMER



**F 352 S**

SINGLE BARREL / HAMMER



**F 353 S**

SINGLE BARREL / HAMMERLESS



**F 353 S1**

SINGLE BARREL / HAMMERLESS



**F 354 S**

SINGLE BARREL / HAMMER



**F 355 S**

|                  |                                   |          |                            |
|------------------|-----------------------------------|----------|----------------------------|
| SYSTEM           | EXTRACTOR                         | STOCK    | SYNTHETIC / TURKISH WALNUT |
| GAUGE            | 12-16-20-28-36                    | CHOKE    | MOBILE CHOKE OR SLUG       |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-28"-30" | RECEIVER | 4140 STEEL                 |
| BARREL           | 4140 STEEL                        | CHAMBER  | 3"                         |
|                  |                                   | WEIGHT   | 3 KG (6.6 LB)              |



# MAGAZINE FED

DOMINATE THE ACTION

**salix**  
ARMS

# MAGAZINE FED

MAGAZINE FED



**S 431 X**

MAGAZINE FED



**S 432 X**

MAGAZINE FED



**S 433 X**

MAGAZINE FED



**S 433 XA**

MAGAZINE FED



**S 433 XB**

|                  |               |          |                         |
|------------------|---------------|----------|-------------------------|
| SYSTEM           | GAS SYSTEM    | FOREND   | ALUMINUM / SYNTHETIC    |
| GAUGE            | 12            | CHOKE    | MOBILE (1-2-3-4-5)-SLUG |
| LENGTH OF BARREL | 14"-18.5"-20" | RECEIVER | 7075 ALUMINUM           |
| BARREL           | 4140 STEEL    | CHAMBER  | 3"                      |
| STOCK            | TELESCOPIC    | MAGAZINE | 2+1 - 5+1 - 10+1        |

MAGAZINE FED



**PT12-01**

MAGAZINE FED



**PT12-05**

MAGAZINE FED



**PT12-02**

|                  |                           |          |                          |
|------------------|---------------------------|----------|--------------------------|
| SYSTEM           | GAS SYSTEM                | FOREND   | FULL METAL               |
| GAUGE            | 12-20                     | CHOKE    | MOBILE (1-2-3-4-5)-SLUG  |
| LENGTH OF BARREL | 14"-18.5"-20"-22"-24"-26" | RECEIVER | 7075 ALUMINUM-FULL METAL |
| BARREL           | 4140 STEEL                | CHAMBER  | 3"/76 MM                 |
| STOCK            | TELESCOPIC                | MAGAZINE | 2+1-5+1-10+1             |

MAGAZINE FED



**PT12-03**

MAGAZINE FED



**PT12-04**



MAGAZINE FED

# BULLPUP

COMPACT POWER,  
MAXIMUM IMPACT

**salix**  
ARMS

BULLPUP



## LX 130

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

# BULLPUP

BULLPUP



## LX 131

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 132

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 133

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 134

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |



BULLPUP



## LX 135

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 136

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 137

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |

BULLPUP



## LX 138

|                  |                        |           |                  |
|------------------|------------------------|-----------|------------------|
| MECHANISM        | GAS OPERATED SEMI AUTO | MAGAZINE  | 2+1, 5+1, 10+1   |
| GAUGE            | 12                     | CHAMBER   | 3"               |
| LENGTH OF BARREL | 18.5"-20"              | BUTTSTOCK | SYNTHETIC        |
|                  |                        | FRAME     | 7075-T6 ALUMINUM |



# SEMI AUTOMATIC

GAS SYSTEM  
INERTIA  
TACTICAL

**salix**  
ARMS

# SEMI AUTOMATIC

GAS SYSTEM



**R 560 M**

**R 561 M**

GAS SYSTEM



**R 563 M**

GAS SYSTEM



**R 562 M**

**R 562 M1**

GAS SYSTEM



**R 563 M1**

**R 563 M2**

GAS SYSTEM



**R 564 M**

|                  |                             |          |                                   |
|------------------|-----------------------------|----------|-----------------------------------|
| SYSTEM           | GAS SYSTEM                  | CHOKE    | MOBILE CHOKE, SLUG OR FLASH HIDER |
| GAUGE            | 12-20 GA                    | RECEIVER | 7075 ALUMINUM                     |
| LENGTH OF BARREL | 20"-22"-24"-26"-28"-30"-32" | CHAMBER  | 3"                                |
| BARREL           | 4140 STEEL                  | MAGAZINE | 4+1-5+1-7+1                       |
| STOCK            | TURKISH WALNUT              |          |                                   |

# SEMI AUTOMATIC

GAS SYSTEM



**R 565 M**

GAS SYSTEM



**R 566 M**

**R 566 M1**

GAS SYSTEM



**R 567 M**

GAS SYSTEM



**R 568 M**

GAS SYSTEM



**R 569 M**

|                  |                             |          |                                   |
|------------------|-----------------------------|----------|-----------------------------------|
| SYSTEM           | GAS SYSTEM                  | CHOKE    | MOBILE CHOKE, SLUG OR FLASH HIDER |
| GAUGE            | 12-20 GA                    | RECEIVER | 7075 ALUMINUM                     |
| LENGTH OF BARREL | 20"-22"-24"-26"-28"-30"-32" | CHAMBER  | 3"                                |
| BARREL           | 4140 STEEL                  | MAGAZINE | 4+1- 5+1- 7+1                     |
| STOCK            | TURKISH WALNUT SYNTHETIC    |          |                                   |

# SEMI AUTOMATIC

GAS SYSTEM



**R 570 M**

GAS SYSTEM



**R 571 M**

GAS SYSTEM



**R 572 M**

GAS SYSTEM



**R 573 M**

GAS SYSTEM



**R 574 M**

GAS SYSTEM



**R 575 M**

|                  |                             |          |                                   |
|------------------|-----------------------------|----------|-----------------------------------|
| SYSTEM           | GAS SYSTEM                  | STOCK    | SYNTHETIC                         |
| GAUGE            | 12-20 GA                    | CHOKE    | MOBILE CHOKE, SLUG OR FLASH HIDER |
| LENGTH OF BARREL | 20"-22"-24"-26"-28"-30"-32" | RECEIVER | 7075 ALUMINUM                     |
| BARREL           | 4140 STEEL                  | CHAMBER  | 3"/76 MM                          |
|                  |                             | MAGAZINE | 4+1 - 5+1                         |

# SEMI AUTOMATIC

TACTICAL



## SX-40

|                  |                           |                              |                             |
|------------------|---------------------------|------------------------------|-----------------------------|
| SYSTEM           | GAS ASSISTED/<br>TACTICAL | STOCK / FORE END<br>MAGAZINE | TURKISH WALNUT<br>5+1 - 7+1 |
| GAUGE            | 12                        | CHOKES                       | F-M-C BERETTA MOBIL         |
| LENGTH OF BARREL | 18.5"-20"-22"             | WEIGHT                       | 3.3 KG (7.3 LB)             |

TACTICAL



## SX-04

|                  |                           |                              |                        |
|------------------|---------------------------|------------------------------|------------------------|
| SYSTEM           | GAS ASSISTED/<br>TACTICAL | STOCK / FORE END<br>MAGAZINE | SYNTHETIC<br>5+1 - 7+1 |
| GAUGE            | 12                        | CHOKES                       | F-M-C BERETTA MOBIL    |
| LENGTH OF BARREL | 18.5"-20"-22"             | WEIGHT                       | 3.3 KG (7.3 LB)        |

TACTICAL



## SX-041

|                  |                           |                              |                        |
|------------------|---------------------------|------------------------------|------------------------|
| SYSTEM           | GAS ASSISTED/<br>TACTICAL | STOCK / FORE END<br>MAGAZINE | SYNTHETIC<br>5+1 - 7+1 |
| GAUGE            | 12                        | CHOKES                       | F-M-C BERETTA MOBIL    |
| LENGTH OF BARREL | 18.5"-20"-22"             | WEIGHT                       | 3.3 KG (7.3 LB)        |

TACTICAL



## SX-042

|                  |                           |                              |                        |
|------------------|---------------------------|------------------------------|------------------------|
| SYSTEM           | GAS ASSISTED/<br>TACTICAL | STOCK / FORE END<br>MAGAZINE | SYNTHETIC<br>5+1 - 7+1 |
| GAUGE            | 12                        | CHOKES                       | F-M-C BERETTA MOBIL    |
| LENGTH OF BARREL | 18.5"-20"-22"             | WEIGHT                       | 3.3 KG (7.3 LB)        |



# SEMI AUTOMATIC

TACTICAL



**SX-043**

TACTICAL



**SX-05**

TACTICAL



**SX-044**

TACTICAL



**SX-051**

TACTICAL



**SX-045**

TACTICAL



**SX-052**

|                  |                           |                  |                     |
|------------------|---------------------------|------------------|---------------------|
| SYSTEM           | GAS ASSISTED/<br>TACTICAL | STOCK / FORE END | SYNTHETIC           |
| GAUGE            | 12                        | MAGAZINE         | 5+1 - 7+1           |
| LENGTH OF BARREL | 18.5"-20"-22"             | CHOKES           | F-M-C BERETTA MOBIL |
|                  |                           | WEIGHT           | 3.3 KG (7.3 LB)     |

|                  |                   |           |                          |
|------------------|-------------------|-----------|--------------------------|
| SYSTEM           | GAS SYSTEM        | BUTTSTOCK | TELESCOPIC / FIXED STOCK |
|                  | ROTATING BOLT     | MAGAZINE  | 2+1 - 5+1 - 6+1          |
| GAUGE            | 12                | RECEIVER  | 7075-T6 ALUMINUM         |
| LENGTH OF BARREL | 13"-18,5"-20"-24" | CHAMBER   | 76 MM ( 3" )             |
| BARREL           | 4140 STEEL        | WEIGHT    | 3.3 KG (7.3 LB)          |

# SEMI AUTOMATIC

INERTIA



20 GAUGE

## SA-140

|                  |                                       |          |                           |
|------------------|---------------------------------------|----------|---------------------------|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7       |
| GAUGE            | 12-20 GA                              | CHOKE    | MOBILE CHOKE/<br>CYLINDER |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                        |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM             |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)           |

INERTIA



## SA-141

|                  |                                       |          |                           |
|------------------|---------------------------------------|----------|---------------------------|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7       |
| GAUGE            | 12-20 GA                              | CHOKE    | MOBILE CHOKE/<br>CYLINDER |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                        |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM             |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)           |

INERTIA



## SA-142

|                  |                                       |          |                           |
|------------------|---------------------------------------|----------|---------------------------|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7       |
| GAUGE            | 12-20 GA                              | CHOKE    | MOBILE CHOKE/<br>CYLINDER |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                        |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM             |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)           |

INERTIA



## SA-143

|                  |                                       |          |                           |
|------------------|---------------------------------------|----------|---------------------------|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7       |
| GAUGE            | 12-20 GA                              | CHOKE    | MOBILE CHOKE/<br>CYLINDER |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                        |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM             |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)           |



INERTIA



## SA-144

|                  |                                       |          |  |
|------------------|---------------------------------------|----------|--|
| SYSTEM           | INERTIA/KINETIC/COMFORT               | MAGAZINE | 2+1-5+1-6+1-3+4-3+7                    |
| GAUGE            | 12-20 GA                              | CHOKE    | CYLINDER /SLUG BARREL/<br>MOBILE CHOKE |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                                     |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM                          |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)                        |

INERTIA



## SA-145

|                  |                                       |          |  |
|------------------|---------------------------------------|----------|--|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7                    |
| GAUGE            | 12-20 GA                              | CHOKE    | CYLINDER /SLUG BARREL/<br>MOBILE CHOKE |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                                     |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM                          |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)                        |

INERTIA



## SA-146

|                  |                                       |          |  |
|------------------|---------------------------------------|----------|--|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7                    |
| GAUGE            | 12-20 GA                              | CHOKE    | CYLINDER /SLUG BARREL/<br>MOBILE CHOKE |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                                     |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM                          |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)                        |

INERTIA



## SA-147

|                  |                                       |          |  |
|------------------|---------------------------------------|----------|--|
| SYSTEM           | INERTIA / KINETIC                     | MAGAZINE | 2+1-5+1-6+1-3+4-3+7                    |
| GAUGE            | 12-20 GA                              | CHOKE    | CYLINDER /SLUG BARREL/<br>MOBILE CHOKE |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-<br>30"-32" | CHAMBER  | 3"                                     |
| STOCK FINISH     | TURKISH WALNUT / SYNTHETIC            | RECEIVER | 7075 ALUMINUM                          |
| BARREL           | 4140 STEEL                            | WEIGHT   | 3.1 KG (6.8 LB)                        |



**NATURE IS  
TOUGH.  
SALIX<sup>ARMS</sup> IS  
TOUGHER**

[salixarms.com](http://salixarms.com)

# PUMP ACTION

UNSTOPPABLE FORCE

PUMP ACTION



## YOUTH-P1

Note : Easy Handling and officially designed specifically for children and youth.

|                  |               |          |  |
|------------------|---------------|----------|--|
| SYSTEM           | PUMP ACTION   | STOCK    | TURKISH WALNUT STOCK<br>SYNTHETIC STOCK / CAMO |
| GAUGE            | 410 GA        | MAGAZINE | 4+1 - 5+1                                      |
| LENGTH OF BARREL | 13"-18.5"-20" | RECEIVER | 7075 ALUMINUM                                  |
| BARREL           | 4140 STEEL    | CHAMBER  | 76 MM (3")                                     |
|                  |               | WEIGHT   | 2,7 KG / 6.0 LB                                |

PUMP ACTION



## YOUTH-P2

Note : Easy Handling and officially designed specifically for children and youth.

|                  |               |          |  |
|------------------|---------------|----------|--|
| SYSTEM           | PUMP ACTION   | STOCK    | TURKISH WALNUT STOCK<br>SYNTHETIC STOCK / CAMO |
| GAUGE            | 410 GA        | MAGAZINE | 4+1 - 5+1                                      |
| LENGTH OF BARREL | 13"-18.5"-20" | RECEIVER | 7075 ALUMINUM                                  |
| BARREL           | 4140 STEEL    | CHAMBER  | 76 MM (3")                                     |
|                  |               | WEIGHT   | 2,7 KG / 6.0 LB                                |

# PUMP ACTION

PUMP ACTION



**SP-12**

|               |            |                 |  |
|---------------|------------|-----------------|--|
| GAUGE         | 12         | UPPER RECEIVER  | HARDENED ALUMINUM                          |
| CHAMBER       | 3" - 76MM  | WEIGHT UNLOADED | 7,1 IBS - 3,2 KG                           |
| BARREL LENGTH | 20"/51 CM  | MAGAZINE        | 7075-T6 ALUMINUM                           |
| BARREL        | 4140 STEEL | OVERALL LENGTH  | 29"-73,5 CM<br>( BARREL LENGTH 20"-51 CM ) |



**GREEN**



**FDE**



**CAMO**

PUMP ACTION



**P 610 Y**

|                  |                                   |          |                 |
|------------------|-----------------------------------|----------|-----------------|
| SYSTEM           | PUMP ACTION                       | STOCK    | SYNTHETIC       |
| GAUGE            | 12-20-36 GA                       | MAGAZINE | 4+1 - 7+1       |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-30"-32" | RECEIVER | 7075 ALUMINUM   |
| BARREL           | 4140 STEEL                        | CHAMBER  | 76 MM (3")      |
|                  |                                   | WEIGHT   | 2,7 KG / 6.0 LB |

PUMP ACTION



**CHROME PLATED**

**P 610 Y1**

|                  |                                   |          |                 |
|------------------|-----------------------------------|----------|-----------------|
| SYSTEM           | PUMP ACTION                       | STOCK    | SYNTHETIC       |
| GAUGE            | 12-20-36 GA                       | MAGAZINE | 4+1 - 7+1       |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-30"-32" | RECEIVER | 7075 ALUMINUM   |
| BARREL           | 4140 STEEL                        | CHAMBER  | 76 MM (3")      |
|                  |                                   | WEIGHT   | 2,7 KG / 6.0 LB |



PUMP ACTION

# PUMP ACTION

PUMP ACTION



## P 611 Y

P 611 Y1

|                  |                                   |
|------------------|-----------------------------------|
| SYSTEM           | PUMP ACTION                       |
| GAUGE            | 12 - 20 GA                        |
| LENGTH OF BARREL | 13"-18.5"-20"-22"-24"-26"-30"-32" |
| BARREL           | 4140 STEEL                        |
| STOCK            | TURKISH WALNUT STOCK              |

|          |                      |
|----------|----------------------|
| MAGAZINE | 4+1 - 7+1            |
| CHOKE    | MOBILE CHOKE /SLUG / |
| RECEIVER | FLASH HIDER          |
| CHAMBER  | 7075 ALUMINUM        |
| WEIGHT   | 76 MM (3")           |
|          | 3,2 KG / 7.1 LB      |

PUMP ACTION



## P 612 Y

|                  |             |
|------------------|-------------|
| SYSTEM           | PUMP ACTION |
| GAUGE            | 12-20 GA    |
| LENGTH OF BARREL | 18,5"       |
| BARREL           | 4140 STEEL  |

|          |                      |
|----------|----------------------|
| STOCK    | SYNTHETIC            |
| MAGAZINE | 4+1                  |
| RECEIVER | 7075 ALUMINUM        |
| CHAMBER  | 76 MM (3")           |
| CHOKE    | MOBILE CHOKE /SLUG / |
|          | FLASH HIDER          |

PUMP ACTION



## P 612 YL

|                  |                          |
|------------------|--------------------------|
| SYSTEM           | PUMP ACTION              |
| GAUGE            | 12                       |
| LENGTH OF BARREL | 13"-18,5"-20"            |
| BARREL           | CHROME PLATED 4140 STEEL |

|          |                      |
|----------|----------------------|
| STOCK    | PISTOL GRIP          |
| CHOKE    | MOBILE CHOKE /SLUG / |
|          | FLASH HIDER          |
| RECEIVER | 7075 ALUMINUM        |
| CHAMBER  | 3" / 76 MM           |
| MAGAZINE | 4+1                  |

## P 612 YM



## P 612 YN



# PUMP ACTION

PUMP ACTION



## P 613 Y

|                  |                          |          |                                  |
|------------------|--------------------------|----------|----------------------------------|
| SYSTEM           | PUMP ACTION              | MAGAZINE | 2+1 - 5+1 - 10+1                 |
| GAUGE            | 12                       | CHOKE    | MOBILE CHOKE /SLUG / FLASH HIDER |
| LENGTH OF BARREL | 51 CM/20"                | RECEIVER | 7075 ALUMINUM                    |
| BARREL           | CHROME PLATED 4140 STEEL | CHAMBER  | 76 MM (3")                       |
| STOCK            | SYNTHETIC                | WEIGHT   | 2,9 KG / 6.4 LB                  |

PUMP ACTION



## P 614 Y

|                  |                                   |          |                                  |
|------------------|-----------------------------------|----------|----------------------------------|
| SYSTEM           | PUMP ACTION                       | STOCK    | SYNTHETIC                        |
| GAUGE            | 12-20-36 GA                       | MAGAZINE | 4+1                              |
| LENGTH OF BARREL | 13"-18,5"-20"-22"-24"-26"-30"-32" | RECEIVER | 7075 ALUMINUM                    |
| BARREL           | 4140 STEEL                        | CHAMBER  | 76 MM (3")                       |
|                  |                                   | CHOKE    | MOBILE CHOKE /SLUG / FLASH HIDER |

PUMP ACTION

**MAGAZINE**  
2+1 - 5+1 - 10+1



## P 615 Y

|                  |                          |          |                                  |
|------------------|--------------------------|----------|----------------------------------|
| SYSTEM           | PUMP ACTION              | STOCK    | SYNTHETIC / PISTOL GRIP / WALNUT |
| GAUGE            | 12                       | CHOKE    | MOBILE CHOKE /SLUG /FLASH HIDER  |
| LENGTH OF BARREL | 35 CM/14"                | RECEIVER | 7075 ALUMINUM                    |
| BARREL           | CHROME PLATED 4140 STEEL | CHAMBER  | 3" / 76 MM                       |
|                  |                          | MAGAZINE | 4+1                              |

## P 616 Y



## P 617 Y



# PUMP ACTION

PUMP ACTION



## P 618 Y

|                  |             |          |                      |
|------------------|-------------|----------|----------------------|
| SYSTEM           | PUMP ACTION | STOCK    | SYNTHETIC            |
| GAUGE            | 12-20 GA    | CHOKE    | MOBILE CHOKE /SLUG / |
| LENGTH OF BARREL | 13"-18,5"   |          | FLASH HIDER          |
| BARREL           | 4140 STEEL  | RECEIVER | 7075 ALUMINUM        |
|                  |             | CHAMBER  | 3" / 76 MM           |
|                  |             | MAGAZINE | 4+1                  |

PUMP ACTION



## P 619 Y

|                  |             |          |                      |
|------------------|-------------|----------|----------------------|
| SYSTEM           | PUMP ACTION | STOCK    | SYNTHETIC            |
| GAUGE            | 12 GA       | CHOKE    | MOBILE CHOKE /SLUG / |
| LENGTH OF BARREL | 12" / 13"   |          | FLASH HIDER          |
| BARREL           | 4140 STEEL  | RECEIVER | 7075 ALUMINUM        |
|                  |             | CHAMBER  | 3" / 76 MM           |
|                  |             | MAGAZINE | 4+1                  |

PUMP ACTION



## P 619 Y1

## P 619 Y2

|                  |             |          |                      |
|------------------|-------------|----------|----------------------|
| SYSTEM           | PUMP ACTION | STOCK    | SYNTHETIC            |
| GAUGE            | 12-20-36 GA | CHOKE    | MOBILE CHOKE /SLUG / |
| LENGTH OF BARREL | 13"-18,5"   |          | FLASH HIDER          |
| BARREL           | 4140 STEEL  | RECEIVER | 7075 ALUMINUM        |
|                  |             | CHAMBER  | 3" / 76 MM           |
|                  |             | MAGAZINE | 4+1                  |

PUMP ACTION



## P 620 Y

|                  |             |          |                      |
|------------------|-------------|----------|----------------------|
| SYSTEM           | PUMP ACTION | STOCK    | SYNTHETIC            |
| GAUGE            | 12-20 GA    | CHOKE    | MOBILE CHOKE /SLUG / |
| LENGTH OF BARREL | 13"-18,5"   |          | FLASH HIDER          |
| BARREL           | 4140 STEEL  | RECEIVER | 7075 ALUMINUM        |
|                  |             | CHAMBER  | 3" / 76 MM           |
|                  |             | MAGAZINE | 4+1                  |



# LEVER ACTION

THE LEGEND REBORN

**salix**  
ARMS

# LEVER ACTION

LEVER ACTION



## SA 36

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

LEVER ACTION



## SA 36-1

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

LEVER ACTION



## SA 36-2

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

LEVER ACTION



## SA 36-3

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

# LEVER ACTION

LEVER ACTION



**SA 36-4**

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

LEVER ACTION



**SA 36-5**

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

LEVER ACTION



**SA 36-6**

|                  |                   |           |                           |
|------------------|-------------------|-----------|---------------------------|
| SYSTEM           | LEVER ACTION      | BUTTSTOCK | TURKISH WALNUT STOCK      |
| GAUGE            | 20-36 GA          | CHOKE     | MOBILE CHOKE/ FIXED CHOKE |
| LENGTH OF BARREL | 18,5"-20"-22"-24" | RECEIVER  | STEEL                     |
| BARREL           | 4140 STEEL        | CHAMBER   | 2.6"                      |
|                  |                   | MAGAZINE  | 2+1- 5+1- 8+1             |

# BREAK BARREL



PRECISION IN SILENCE

**salix**  
ARMS

# BREAK BARREL

BREAK BARREL



**AY-01**

|                |   |
|----------------|---|
| CALIBER        | 4.5 MM - 177 CAL / 5.5 MM - 22 CAL            |
| VELOCITY       | 1000 FPS / 25.50 JOULES - 700 FPS / 28 JOULES |
| BARREL LENGTH  | 17.7"-45"                                     |
| SYSTEM         | BARREL BREAK - SPRING / GAS PISTON            |
| TOTAL LENGTH   | 42.25" / 115 CM                               |
| LENGTH OF PULL | 14" / 35.5 CM                                 |
| STOCK          | SYNTHETIC                                     |
| AVERAGE WEIGHT | 3.55 KG / 7.82 LBS                            |

BREAK BARREL



**AY-02**

|                |   |
|----------------|---|
| CALIBER        | 4.5 MM - 177 CAL / 5.5 MM - 22 CAL            |
| VELOCITY       | 1000 FPS / 25.50 JOULES - 700 FPS / 28 JOULES |
| BARREL LENGTH  | 17.7"-45"                                     |
| SYSTEM         | BARREL BREAK - SPRING / GAS PISTON            |
| TOTAL LENGTH   | 42.25" / 115 CM                               |
| LENGTH OF PULL | 14" / 35.5 CM                                 |
| STOCK          | SYNTHETIC                                     |
| AVERAGE WEIGHT | 3.55 KG / 7.82 LBS                            |



# OVER UNDER COMBO

VERSATILITY REDEFINED

**salix**  
ARMS

# OVER UNDER COMBO

OVER UNDER COMBO



## COMBO 12/308

|            |  |
|------------|--|
| BRAND      | BALIKLI  |
| MODEL NAME | COMBO 12/30-30 – 12/30-06 – 12/357 – 12/308 – 12/9   |
| CALIBERS   | 12 CALIBRE (UP BARREL), 30-30 WIN. / 30-06 SPR. / 357 MAG. / 308 WIN. / 9*19 MM. (DOWN BARREL) |
| SYSTEM     | EXTRACTOR  |
| LENGTH     | OVERALL LENGTH 95 CM (AT 51 CM BARREL LENGTH)  |
| STOCK      | TURKISH WALNUT STOCK   |
| RECEIVER   | STEEL RECEIVER, 3" CHAMBER 30-30 WIN. / 30-06 SPR. / 357 MAG. / 308 WIN. / 9*19 MM             |
| BARREL     | STEEL BARREL, MC-5 FOR SMOOTHBORE BARREL   |
| WEIGHT     | APPROX 3,2 KG / 7,05 LB  |

OVER UNDER COMBO



## COMBO 20/30 - 30

|            |   |
|------------|---|
| BRAND      | BALIKLI   |
| MODEL NAME | COMBO 20/30-30 – 20/30-06 – 20/223 – 20/357 – 20/308 – 20/9   |
| CALIBERS   | 20 CALIBRE (UP BARREL), 30-30 WIN. / 30-06 SPR. / 223 REM. / 357 MAG. / 308 WIN. / 9*19 MM. (DOWN BARREL) |
| SYSTEM     | EXTRACTOR   |
| LENGTH     | OVERALL LENGTH 95 CM (AT 51 CM BARREL LENGTH)   |
| STOCK      | TURKISH WALNUT STOCK  |
| RECEIVER   | STEEL RECEIVER, 3" CHAMBER 30-30 WIN. / 30-06 SPR. / 357 MAG. / 308 WIN. / 9*19 MM                        |
| BARREL     | STEEL BARREL, MC-5 FOR SMOOTHBORE BARREL  |
| WEIGHT     | APPROX 3,2 KG / 7,05 LB   |



# OVER UNDER COMBO

OVER UNDER COMBO



## COMBO 28/9

|            |   |
|------------|---|
| BRAND      | BALIKLI   |
| MODEL NAME | COMBO 28/30-30 – 28/30-06 – 28/223 – 28/357 – 28/308 – 28/9   |
| CALIBERS   | 28 CALIBRE (UP BARREL), 30-30 WIN. / 30-06 SPR. / 223 REM. / 357 MAG. / 308 WIN. / 9×19 MM. (DOWN BARREL) |
| SYSTEM     | EXTRACTOR   |
| LENGTH     | OVERALL LENGTH 95 CM (AT 51 CM BARREL LENGTH)   |
| STOCK      | TURKISH WALNUT STOCK  |
| RECEIVER   | STEEL RECEIVER, 3" CHAMBER AND 30-30 WIN. / 30-06 SPR. / 223 REM. / 357 MAG. / 308 WIN. / 9×19 MM.        |
| BARREL     | STEEL BARREL, MC-5 FOR SMOOTHBORE BARREL  |
| WEIGHT     | APPROX 3,2 KG / 7,05 LB   |

OVER UNDER COMBO



## COMBO 36/22

|            |   |
|------------|---|
| BRAND      | BALIKLI   |
| MODEL NAME | COMBO 36/223 – 36/357 – 36/22 – 36/9  |
| CALIBERS   | 36 CALIBRE (UP BARREL), 223 REM. / 9×19 MM. / 22 LR. / 357 MAG. (DOWN BARREL) |
| SYSTEM     | EXTRACTOR   |
| LENGTH     | OVERALL LENGTH 95 CM (AT 51 CM BARREL LENGTH)                                 |
| STOCK      | TURKISH WALNUT STOCK  |
| RECEIVER   | STEEL RECEIVER, 3" CHAMBER AND 223 REM. / 9×19 MM. / 22 LR. / 357 MAG.        |
| BARREL     | STEEL BARREL, MC-5 FOR SMOOTHBORE BARREL                                      |
| WEIGHT     | APPROX 3,2 KG / 7,05 LB   |

# BOLT ACTION



ONE SHOT,  
ABSOLUTE PRECISION

**salix**  
ARMS

# BOLT ACTION

BOLT ACTION



## BALIKLI BLK 300

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 300 WIN MAG | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | WALNUT     |
| MAGAZINE CAPACITY | 3+1         |          |            |

BOLT ACTION



## BALIKLI BLK 308

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 308 WIN     | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | WALNUT     |
| MAGAZINE CAPACITY | 4+1         |          |            |

BOLT ACTION



## BALIKLI BLK 3006

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 30.06 SPR   | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | WALNUT     |
| MAGAZINE CAPACITY | 4+1         |          |            |

## STOCK OPTIONS



## BARREL OPTIONS



BOLT ACTION



## BALIKLI BLK S300

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 300 WIN MAG | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | SYNTHETIC  |
| MAGAZINE CAPACITY | 3+1         |          |            |

BOLT ACTION



## BALIKLI BLK S308

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 308 WIN     | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | SYNTHETIC  |
| MAGAZINE CAPACITY | 4+1         |          |            |

BOLT ACTION



## BALIKLI BLK S3006

|                   |             |          |            |
|-------------------|-------------|----------|------------|
| CALIBER           | 30.06 SPR   | RECEIVER | 4140 STEEL |
| SYSTEM            | BOLT ACTION | BARREL   | 4140 STEEL |
| BARREL LENGHT     | 20"-22"-24" | STOCK    | SYNTHETIC  |
| MAGAZINE CAPACITY | 4+1         |          |            |

# BOLT ACTION



**WALNUT STOCK**



**RECEIVER**



**MAGAZINE KIT 5 ROUND  
( 300 MAG 4 ROUND )**



**BOLT AND BOLT KNUB**



**BARREL**



**ADJUSTABLE TRIGGER  
( 1.5 IBS - 4 LBS )**



# **WEIGHTLESS POWER, PERFECT BALANCE**

A FIREARM SHOULD BE AN EXTENSION OF ITS USER'S ARM.  
THANKS TO OUR ENGINEERING THAT BRINGS THE CENTER OF GRAVITY TO  
YOUR FINGERTIPS, THE ONLY THING BETWEEN YOU AND THE TARGET IS AIR.  
SALIX DELIVERS NOT THE INERTIA OF HEAVY METAL, BUT THE AGILITY OF  
LIGHTWEIGHT ALLOYS AND CARBON FIBER.  
DON'T FEEL THE POWER. CONTROL IT.

# PISTOLS

BLK 1911  
BLK COMPACT 1911  
BLK SPORT 1911  
**BSS2611**  
BLK UNIQUE PRO

**salix**  
ARMS



PISTOL



**BLK 1911 B02**



PISTOL



**BLK 1911 B03**



PISTOL



**BLK 1911 B04**



PISTOL



**BLK 1911 C01**



PISTOL



**BLK 1911 C02**



PISTOL



**BLK 1911 C03**



CALIBRE 9×19 AND .45 ACP  
MAGAZINE CAPACITY 9 (9×19) – 7 (.45 ACP)  
TRIGGER STANDARD  
TRIGGER TYPE CURVED

ACTION TYPE SEMI-AUTO  
GRIP TYPE G10  
SAFETY 1911 GRIP STYLE AND THUMB SAFETY  
BARREL LENGTH 127 MM

GRIP COLOR  
FRAME MATERIAL STEEL  
OVERALL LENGTH 216 MM  
OVERALL WIDTH 32 MM

OPTIONAL  
SLIDE MATERIAL 4140 STEEL  
BARREL MATERIAL 4140 STEEL  
HEIGHT 140 MM  
WEIGHT 1,27 KG / 2.8 LB

PISTOL



**BLK 1911 C05**



PISTOL



**BLK 1911 C04**



PISTOL



**BLK 1911 C06**



PISTOL



**BLK 1911 C07**



PISTOL



**BLK 1911 C08**



PISTOL



**BLK 1911 E01**



CALIBRE 9×19 AND .45 ACP  
MAGAZINE CAPACITY 9 (9×19) – 7 (.45 ACP)  
TRIGGER STANDARD  
TRIGGER TYPE CURVED

ACTION TYPE SEMI-AUTO  
GRIP TYPE G10  
SAFETY 1911 GRIP STYLE AND THUMB SAFETY  
BARREL LENGTH 127 MM

GRIP COLOR OPTIONAL  
FRAME MATERIAL STEEL  
OVERALL LENGTH 216 MM  
OVERALL WIDTH 32 MM

SLIDE MATERIAL STEEL  
BARREL MATERIAL 4140 STEEL  
HEIGHT 140 MM  
WEIGHT 1,27 KG / 2.8 LB

# PISTOL

1911  
B L K



COMPACT 1911

**BLK 1911  
COMPACT M-B01**

1911  
B L K



COMPACT 1911

**BLK-1911  
COMPACT M-B02**



**BLK-1911  
COMPACT M-B03**

# COMPACT 1911

|                   |                        |               |                                  |                |          |                 |                   |
|-------------------|------------------------|---------------|----------------------------------|----------------|----------|-----------------|-------------------|
| CALIBRE           | 9×19 AND .45 ACP       | ACTION TYPE   | SEMI-AUTO                        | GRIP COLOR     | OPTIONAL | SLIDE MATERIAL  | STEEL             |
| MAGAZINE CAPACITY | 9 (9×19) – 7 (.45 ACP) | GRIP TYPE     | G10                              | FRAME MATERIAL | STEEL    | BARREL MATERIAL | 4140 STEEL        |
| TRIGGER           | STANDARD               | SAFETY        | 1911 GRIP STYLE AND THUMB SAFETY | OVERALL LENGTH | 201 MM   | HEIGHT          | 140 MM            |
| TRIGGER TYPE      | CURVED                 | BARREL LENGTH | 112 MM                           | OVERALL WIDTH  | 32 MM    | WEIGHT          | 1,08 KG / 2,38 LB |

# SPORT 1911

SPORT 1911



**BLK 1911 SPORT B01**



SPORT 1911



**BLK 1911 SPORT B02**



SPORT 1911



**BLK 1911 SPORT C03**



SPORT 1911



**BLK 1911 SPORT B03**



SPORT 1911



**BLK 1911 SPORT C01**



SPORT 1911



**BLK 1911 SPORT C02**



CALIBRE 9×19 AND .45 ACP  
MAGAZINE CAPACITY 9 (9×19) – 7 (.45 ACP)  
TRIGGER STANDARD  
TRIGGER TYPE CURVED

ACTION TYPE SEMI-AUTO  
GRIP TYPE G10  
SAFETY 1911 GRIP STYLE AND THUMB SAFETY  
BARREL LENGTH 127 MM

GRIP COLOR ALUMINUM  
FRAME MATERIAL ALUMINUM  
OVERALL LENGTH 249 MM  
OVERALL WIDTH 32 MM

SLIDE MATERIAL STEEL  
BARREL MATERIAL 4140 STEEL  
HEIGHT 140 MM  
WEIGHT 1,75 KG / 3.86 LB

# BSS 2611

DOUBLE STACK



NEW  
PRODUCT

## BSS2611

|                   |                             |                |        |
|-------------------|-----------------------------|----------------|--------|
| CALIBRE           | 9X19                        | BARREL LENGHT  | 121 MM |
| MAGAZINE CAPACITY | 17                          | GRIP COLOR     | BLACK  |
| TRIGGER           | STANDART                    | GRIP MODULE    | STEEL  |
| TRIGGER TYPE      | STRAIGHT                    | OVERALL LENGTH | 221 MM |
| ACTION TYPE       | SEMI-AUTO                   | OVERALL WIDTH  | 32 MM  |
| SAFETY            | GRIP STYLE AND THUMB SAFETY | SLIDE MATERIAL | STEEL  |



PISTOL



**UNIQUE PRO B01**

UNIQUE PRO

|                   |                 |               |                           |                |                         |                 |                          |
|-------------------|-----------------|---------------|---------------------------|----------------|-------------------------|-----------------|--------------------------|
| CALIBRE           | <b>9X19</b>     | ACTION TYPE   | <b>SEMI-AUTO</b>          | GRIP COLOR     | <b>OPTIONAL</b>         | SLIDE MATERIAL  | <b>STEEL</b>             |
| MAGAZINE CAPACITY | <b>15</b>       | GRIP TYPE     | <b>ADVANCED POLYMER</b>   | FRAME MATERIAL | <b>ADVANCED POLYMER</b> | BARREL MATERIAL | <b>STEEL</b>             |
| TRIGGER           | <b>STANDARD</b> | SAFETY        | <b>TRIGGER AND FIRING</b> | OVERALL LENGTH | <b>168 MM</b>           | HEIGHT          | <b>121 MM</b>            |
| TRIGGER TYPE      | <b>CURVED</b>   | BARREL LENGTH | <b>94 MM</b>              | OVERALL WIDTH  | <b>26,5 MM</b>          | WEIGHT          | <b>757 G (≈ 1.67 LB)</b> |

**THE FUTURE  
OF TACTICAL SOLUTIONS.**




**BROWSE OUR  
PRODUCTS ON OUR  
WEBSITE.**





ENGINEERED IN  
TÜRKİYE



SUBMACHINE GUNS RIFLES PISTOLS

salix  
ARMS

**TOLS**

**BEYOND THE BARREL**

We don't just  
build guns;  
we build  
partnerships.

2026 PRODUCT COLLECTION



Yeni Mahalle Şehit Hasan Metli  
Caddesi No:102 A  
Beyşehir/KONYA/TÜRKİYE

[info@salixarms.com](mailto:info@salixarms.com) / [export@salixarms.com](mailto:export@salixarms.com)

+90 332 512 0908